Safety Data Sheet

| SECTION 1: Product and comp | any identification |
|--|--|
| Product name | : WIPES RAW - WHITE BOARD |
| Use of the substance/mixture | : Anti-Static |
| Product code | : 1449 |
| Company | : WINSTON-SALEM INDUSTRIES |
| | 7730 NORTH POINT DR |
| | WINSTON-SALEM, NC 27106 - US T 336-245-5682 |
| Emergency number | : 336-245-5682 |
| | |
| SECTION 2: Hazards identifica | tion |
| 2.1. Classification of the substan | ice or mixture |
| GHS-US classification Flam. Liq. 3 H226 | |
| 2.2. Label elements | |
| GHS US labelling | |
| Hazard pictograms (GHS US) | |
| | |
| | |
| | |
| | |
| | GHS02 |
| Signal word (GHS US) Hazard statements (GHS US) | : Warning : Flammable liquid and vapour |
| Precautionary statements (GHS US) | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| | Keep container tightly closed. |
| | Ground/Bond container and receiving equipment. |
| | Use explosion-proof ventilating, lighting, electrical equipment. Use non-sparking tools. |
| | Take action to prevent static discharges. |
| | Wear protective clothing, eye and face protection. |
| | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| | In case of fire: Use Water spray, dry extinguishing powder, foam to extinguish. |
| | Store in a well-ventilated place. Keep cool. Dispose of contents, container to comply with local/regional/national/international regulations. |
| | |
| 2.3. Other hazards | |
| No additional information available | |
| 2.4. Unknown acute toxicity (GHS | S US) |
| Not applicable. | |
| SECTION 3: Composition/infor | mation on ingredients |
| 3.1. Substances | |
| Not applicable | |
| 3.2. Mixtures | |
| | Product identifier % GHS-US classification |
| Namo | Product identifier % GUS-US classification |

| Name | Product identifier | % | GHS-US classification |
|-------------------|--------------------|-----------|-----------------------|
| Isopropanol | (CAS-No.) 67-63-0 | 1.0 - 5.0 | Flam. Liq. 2, H225 |
| (Cleansing Agent) | | | Eye Irrit. 2A, H319 |
| | | | STOT SE 3, H336 |

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

| SECTION 4: First aid measures | |
|---------------------------------------|---|
| 4.1. Description of first aid measure | S |
| First-aid measures general | : If you feel unwell, seek medical advice. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Rinse skin with water/shower. Take off immediately all contaminated clothing. |
| First-aid measures after eye contact | : Rinse eyes with water as a precaution. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

Safety Data Sheet

| | deffecte both ends and delenad |
|---|---|
| | d effects, both acute and delayed |
| Symptoms/effects after inhalation | : Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. |
| Symptoms/effects after skin contact | : None under normal conditions. |
| Symptoms/effects after eye contact | : None under normal conditions. |
| Symptoms/effects after ingestion | : None under normal conditions. |
| 4.3. Indication of any immediate m | edical attention and special treatment needed |
| Treat symptomatically. | · · · |
| | |
| SECTION 5: Firefighting measur | res |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |
| 5.2. Special hazards arising from t | he substance or mixture |
| Fire hazard | : Flammable liquid and vapour. |
| Explosion hazard | : No direct explosion hazard. |
| Reactivity | : Upon combustion: CO and CO2 are formed. Flammable liquid and vapour. |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : Fight fire from safe distance and protected location. Do not enter fire area without proper protective |
| Destantion during the first t | equipment, including respiratory protection. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing |
| | apparatus. Complete protective clothing. |
| SECTION 6: Accidental release | measures |
| | ive equipment and emergency procedures |
| General measures | : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to |
| Concra measures | prevent material damage. |
| 6.1.1. For non-emergency personnel | |
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. |
| 6.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to |
| | section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Evacuate unnecessary personnel. Stop leak if safe to do so. |
| | |
| 6.2. Environmental precautions | |
| | |
| Avoid release to the environment. | ainment and cleaning up |
| Avoid release to the environment. | |
| Avoid release to the environment. 6.3. Methods and material for cont | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Avoid release to the environment. | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Avoid release to the environment. 3.3. Methods and material for cont For containment | : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. |
| Avoid release to the environment. 5.3. Methods and material for cont For containment Methods for cleaning up Other information | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information 6.4. Reference to other sections | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. |
| Avoid release to the environment. S.3. Methods and material for cont For containment Methods for cleaning up Other information S.4. Reference to other sections For further information refer to section 13. | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. |
| Avoid release to the environment. S.3. Methods and material for cont For containment Methods for cleaning up Other information S.4. Reference to other sections For further information refer to section 13. | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. |
| Avoid release to the environment. 5.3. Methods and material for cont For containment Methods for cleaning up Other information 5.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information Other sections 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge : Not expected to present a significant hazard under anticipated conditions of normal use. |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge Intervent a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge Not expected to present a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information Other sections 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge Intervent a significant hazard under anticipated conditions of normal use. Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only |
| Avoid release to the environment. 5.3. Methods and material for cont For containment Methods for cleaning up Other information 5.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge In the equivalent of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. |
| Avoid release to the environment. 5.3. Methods and material for cont For containment Methods for cleaning up Other information 5.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge Interview of the second seco |
| Avoid release to the environment. 6.3. Methods and material for cont For containment Methods for cleaning up Other information 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and stora 7.1. Precautions for safe handling Additional hazards when processed Precautions for safe handling Hygiene measures 7.2. Conditions for safe storage, in | Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. ge In the equivalent of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. |

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

| 8.1. Control para | meters | |
|----------------------|----------------|---|
| Isopropanol (67-63-0 |)) | |
| ACGIH | ACGIH OEL TWA | 200 ppm |
| ACGIH | ACGIH OEL STEL | 400 ppm |
| ACGIH | Remark (ACGIH) | TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not |
| | | classifiable as a Human Carcinogen); BEI |
| OSHA | OSHA PEL TWA | 980 mg/m³ |
| OSHA | OSHA PEL TWA | 400 ppm |

| 8.2. Exposure controls | |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Personal protective equipment | : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Wea eye protection. Wear protective clothing. Wear protective gloves. |
| | |
| Hand protection | : Protective gloves. |
| Eye protection | : Safety glasses. |

In case of insufficient ventilation, wear suitable respiratory equipment.

Wear suitable protective clothing.

Avoid release to the environment.

Eye protection Skin and body protection Respiratory protection Environmental exposure controls

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | | |
|--|---|--|--|
| Physical state | : Solid | | |
| Appearance | : Premoistened wipe | | |
| Odour | : Mild odor | | |
| Odour threshold | : No data available | | |
| рН | : 8.23 – 8.25 | | |
| Melting point | : Not applicable | | |
| Freezing point | : No data available | | |
| Boiling point | : No data available | | |
| Flash point | : 131 °F Tested using the liquid component of the towelette | | |
| Relative evaporation rate (butylacetate=1) | : No data available | | |
| Flammability | : No data available | | |
| Explosive limits | : No data available | | |
| Explosive properties | : No data available | | |
| Oxidising properties | : No data available | | |
| Vapour pressure | : No data available | | |
| Relative density | : No data available | | |
| Relative vapour density at 20°C | : No data available | | |
| Density | : 1 g/ml Tested using the liquid component of the towelette | | |
| Solubility | : Liquid component is soluble in water. | | |
| Partition coefficient n-octanol/water (Log Pow) | : No data available | | |
| Partition coefficient n-octanol/water (Log Kow) | : No data available | | |
| Auto-ignition temperature | : No data available | | |
| Decomposition temperature | : No data available | | |
| Viscosity | : No data available | | |
| Viscosity, kinematic | : No data available | | |
| Viscosity, dynamic | : No data available | | |
| VOC content | : < 5 % Tested using the liquid component of the towelette | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed. Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

Safety Data Sheet

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

| 1.1. Information on toxicological effect | nte | | |
|--|---|--|--|
| Acute toxicity : Not classified | | | |
| Isopropanol (67-63-0) | | | |
| LD50 oral rat | 5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 | | |
| LD50 oral rat | day(s)) | | |
| LD50 dermal rabbit | 16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s)) | | |
| LC50 Inhalation - Rat [ppm] | > 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) | | |
| ATE CLP (oral) | 5840 mg/kg bodyweight | | |
| ATE CLP (dermal) | 16400000 mg/kg bodyweight | | |
| Skin corrosion/irritation | : Not classified pH: 8.23 – 8.25 | | |
| Serious eye damage/irritation | : Not classified pH: 8.23 – 8.25 | | |
| Respiratory or skin sensitisation | : Not classified | | |
| Germ cell mutagenicity | : Not classified | | |
| Carcinogenicity | : Not classified | | |
| Isopropanol (67-63-0) | | | |
| IARC group | 3 - Not classifiable | | |
| Reproductive toxicity | : Not classified | | |
| STOT-single exposure | : Not classified | | |
| STOT-repeated exposure | : Not classified | | |
| Aspiration hazard | : Not classified | | |
| Symptoms/effects after inhalation | Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard. | | |
| Symptoms/effects after skin contact | : None under normal conditions. | | |
| Symptoms/effects after eye contact | : None under normal conditions. | | |
| Symptoms/effects after ingestion | : None under normal conditions. | | |
| Likely routes of exposure | : Dermal | | |

| 2.1. Toxicity | |
|-----------------------|--|
| Ecology - general | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Isopropanol (67-63-0) | |
| LC50 - Fish [1] | 9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) |
| LC50 - Fish [2] | 9640 mg/l Test organisms (species): Pimephales promelas |

| Isopropanol (67-63-0) | | | | |
|-------------------------------------|-------------------------|------------------------------------|--|-------------|
| Persistence and degradability | Biodegrad | dable in the soil. Biodegradable i | in the soil under anaerobic conditions. Re | eadily |
| | biodegrac | lable in water. | | |
| Biochemical oxygen demand (BOD) | 1.19 g O ₂ | /g substance | | |
| Chemical oxygen demand (COD) | 2.23 g O ₂ | /g substance | | |
| ThOD | 2.4 g O ₂ /g | g substance | | |
| Issue date: 2/11/2025 Revision date | e: 02/19/2024 | Version: 1.2 | Z_US GHS SDS 24 | Page 4 of 5 |

Safety Data Sheet

| 12.3. Bioaccumulative potential | | |
|---|---|--|
| Isopropanol (67-63-0) | | |
| BCF - Fish [1] | 1015 (BCFBAF v3.01, Estimated value) | |
| Partition coefficient n-octanol/water (Log Po | | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| | | |
| SECTION 13: Disposal considerat | tions | |
| 13.1. Waste treatment methods | | |
| Regional waste regulation | : Disposal must be done according to official regulations. | |
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. | |
| Sewage disposal recommendations | : Disposal must be done according to official regulations. | |
| Product/Packaging disposal recommendations | : Disposal must be done according to official regulations. | |
| Additional information | : Flammable vapours may accumulate in the container. Do not re-use empty containers. | |
| SECTION 14: Transport information | on | |
| Department of Transportation (DOT) | | |
| | | |
| Additional information | Ne supplementary information sucilable | |
| Other information | : No supplementary information available. | |
| ADR | | |
| No additional information available | | |
| Transport by sea | | |
| No additional information available | | |
| Air transport | | |
| No additional information available | | |
| SECTION 15: Regulatory informat | tion | |
| 15.1. US Federal regulations | | |
| All components of this product are present | and listed as Astive on the United States Environmental Distortion Agains' Tavis Substances Control Ast | |
| (TSCA) inventory | and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act | |
| Chemical(s) subject to the reporting require and 40 CFR Part 372. | ements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 | |
| California Proposition 65 - This product doe reproductive harm | es not contain any substances known to the state of California to cause cancer, developmental and/or | |
| SECTION 16: Other information | | |
| | mal use of this product shall imply use in accordance with the instructions on the packaging. | |
| NEDA bootth bozord | | |
| | Materials that, under emergency conditions, can cause significant irritation. | |
| | Materials that must be moderately heated or exposed to relatively high ambient peratures before ignition can occur. | |
| | Material that in themselves are normally stable, even under fire conditions. | |
| . U-1 | | |

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.